North Carolina DEPARTMENT OF TRANSPORTATION

Division of Highways Staffing Report

to NCGA Joint Legislative Transportation Oversight Committee & Fiscal Research Staff

Mike Holder, PE, Chief Engineer

December 5, 2014

Staffing Study for Preconstruction & Transportation Divisions

Conducted in accordance with SL 2014-100, Section 34.16(a) and (b)


Initial analysis

Several statewide and national initiatives will further inform DOT efforts to optimize staffing

Preconstruction

Roadway Design —— Roadway Management


- Consultant Coordination (East/West)
- Roadway Design in house (East/West)
- Support Services
 - Budget/Contracts
 - Design Standards
 - Specialty Functions
- 50% Outsourcing Target Design
- Employee Reassignments & 25 positions eliminated





Division Engineer

Division roles aligned into 3 primary areas as shown in dashed boxes. Responsibilities of **Operations Engineer** assumed by Division **Engineer, and Division Maintenance & Construction Engineers. Two Tech support** positions (from existing employee complement) to aid them. Asset Mgr position will manage bridge, pavement, and maintenance system data for optimized use of available funding. Bituminous unit to be outsourced (80%) over 4 years.



Division Engineer

Traffic Services Supv (1)

Eng Sup (1) Eng. Tech (2)

Engr. (2) Elec. Tech (6)

Freeway Manager (1)

(Metro Divs Only) (1)

(NCTA) CEI Techs (1-2)

TS (4) TW (19)

Traffic Mgt Ctr

Division roles aligned into 3 primary areas as shown in dashed boxes. Responsibilities of Operations Engineer assumed by Division Engineer, and Division Maintenance & **Construction Engineers. Two** Tech support positions (from existing employee complement) to aid them. Asset Mgr position will manage bridge, pavement, and maintenance system data for optimized use of available funding. Bituminous unit to be outsourced (80%) over 4 years.

Typical Numbers of Employees shown.

TW = Trans. Worker. TS = Trans. Supervisor. GUW=General

Utility Worker *IMAP typical number for Div.

5, 7 & 10

Asset Maintenance Div Maintenance Engr (1) Roadside Environ Engr(1) Engineer (1) Eng. Tech (2) GUW (4) TS (5) TW (14) County Maint Engr (6) Engineering Sup. (6) Eng. Tech. (3) TS (46) TW (167) Bridge Maint Engr (1) Br. Operators (1) Eng. Sup. (1) Eng. Tech. (2) TS (10) TW (26) Welder (1) **GUW (1)** Equipment Supt (1) Area Sup (1) GUW (2) Hvy Eq Mgr (1) Process Tech (1) Machinist (1) Process

Asst (7) Veh. Op (1) VERTS (9) VERT (39)


(in transition – outsource) TS (2) TW (9)

TW (2) Welder (1)

Bituminous Unit

IMAP (9)* Engr. (2) Eng. Sup (2) TS (2) TW (7)

Tech Support (1)



Proposed Division
Organization Chart
Detail – Project
Development & Program
Delivery Primary Area

Typical Numbers of Employees shown.

TS = Trans. Supervisor.

Division roles aligned into 3 primary areas as shown in dashed boxes. Responsibilities of Operations Engineer assumed by Division Engineer, and Division Maintenance & **Construction Engineers. Two** Tech support positions (from existing employee complement) to aid them. Asset Mgr position will manage bridge, pavement, and maintenance system data for optimized use of available funding. Bituminous unit to be outsourced (80%) over 4 years.



Division Staffing – Key Items

Worker to Supervisor Ratios

- Worker to upper level supervisor 7.9
- Worker to mid-level supervisor 6.7
- Worker to lower-level supervisor 11.3

Construction – Adjustments for STI

Increase Goal % (CEI)

Bituminous Unit Outsourcing

4 year plan

Continue Data Analysis for Future Adjustments

• Needs Based Staffing